








§ 50 Gefahrenzeichen	Maße/Stärke in mm	Ausführung flach			Ausführung Formline			AS-Umrandungsprofil			
		TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3	
 § 50/1 Querrinne oder Aufwölbung	700/2	38,00 0001	48,80 0002	55,60 4224	48,70 3472	59,30	66,20 4226	URP I	58,20 0004	69,00 0005	75,90 4225
	1000/2,5	85,00 0007	108,20 0008	122,20 4227	94,40	117,40	131,80 4229		112,60 0010	135,50 0011	149,70 4228
	1500/3	216,20 0013	266,70 0014	332,20 4230					259,80 0015	310,40 0016	375,90 4231
 § 50/2a Rechtskurve	700/2	38,00 0017	48,80 0018	55,60 4232	48,70	59,30	66,20 4234	URP I	58,20 0020	69,00 0021	75,90 4233
	1000/2,5	85,00 0023	108,20 0024	122,20 4235	94,40	117,40	131,80 4237		112,60 0026	135,50 0027	149,70 4236
	1500/3	216,20 0029	266,70 0030	332,20 4238					259,80 0031	310,40 0032	375,90 4239
 § 50/2b Linkskurve	700/2	38,00 0033	48,80 0034	55,60 4240	48,70	59,30	66,20 4242	URP I	58,20 0036	69,00 0037	75,90 4241
	1000/2,5	85,00 0039	108,20 0040	122,20 4243	94,40	117,40	131,80 4245		112,60 0042	135,50 0043	149,70 4244
	1500/3	216,20 0045	266,70 0046	332,20 4246					259,80 0047	310,40 0048	375,90 4247
 § 50/2c Doppelkurve rechts beginnend	700/2	38,00 0049	48,80 0050	55,60 4248	48,70	59,30	66,20 4250	URP I	58,20 0052	69,00 0053	75,90 4249
	1000/2,5	85,00 0055	108,20 0056	122,20 4251	94,40	117,40	131,80 4253		112,60 0058	135,50 0059	149,70 4252
	1500/3	216,20 0061	266,70 0062	332,20 4254					259,80 0063	310,40 0064	375,90 4255
 § 50/2d Doppelkurve links beginnend	700/2	38,00 0065	48,80 0066	55,60 4256	48,70	59,30	66,20 4258	URP I	58,20 0068	69,00 0069	75,90 4257
	1000/2,5	85,00 0071	108,20 0072	122,20 4259	94,40	117,40	131,80 4261		112,60 0074	135,50 0075	149,70 4260
	1500/3	216,20 0077	266,70 0078	332,20 4262					259,80 0079	310,40 0080	375,90 4263
 § 50/3 Kreuzung	700/2	38,00 0081	48,80 0082	55,60 4264	48,70	59,30	66,20 4266	URP I	58,20 0084	69,00 0085	75,90 4265
	1000/2,5	85,00 0087	108,20 0088	122,20 4267	94,40	117,40	131,80 4269		112,60 0090	135,50 0091	149,70 4268
	1500/3	216,20 0093	266,70 0094	332,20 4270					259,80 0095	310,40 0096	375,90 4271
 § 50/3a Kreuzung mit Kreisverkehr	700/2	38,00 0097	48,80 0098	55,60 4272	48,70	59,30	66,20 4274	URP I	58,20 0100	69,00 0101	75,90 4273
	1000/2,5	85,00 0103	108,20 0104	122,20 4275	94,40	117,40	131,80 4277		112,60 0106	135,50 0107	149,70 4276
	1500/3	216,20 0109	266,70 0110	332,20 4278					259,80 0111	310,40 0112	375,90 4279
 § 50/4 Kreuzung mit Straße ohne Vorrang	700/2	38,00 0113	48,80 0114	55,60 4280	48,70	59,30	66,20 4282	URP I	58,20 0116	69,00 0117	75,90 4281
	1000/2,5	85,00 0119	108,20 0120	122,20 4283	94,40	117,40	131,80 4285		112,60 0122	135,50 0123	149,70 4284
	1500/3	216,20 0125	266,70 0126	332,20 4286					259,80 0127	310,40 0128	375,90 4285

\* gemäß § 4 (5) StVZO 1998/2013 sind diese Verkehrszeichen hochrückstrahlend auszuführen!

§ 50 Gefahrenzeichen	Maße/Stärke in mm	Ausführung flach			Ausführung Formline			AS-Umrandungsprofil				
		TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3		
 § 50/6a Bahnübergang mit Schranken	700/2	*	48,80 0418	55,60 4288	*	59,30	66,20 4290	URP I	*	69,00 0421	75,90 4289	
	1000/2,5	*	108,20 0424	122,20 4291	*	117,40	131,80 4293		*	135,50 0427	149,70 4292	
	1500/3	*	266,70 0430	332,20 4294					*	310,40 0432	375,90 4295	
 § 50/6b Bahnübergang ohne Schranken	700/2	*	48,80 0434	55,60 4297	*	59,30	66,20 4298	URP I	*	69,00 0437	75,90 4297	
	1000/2,5	*	108,20 0440	122,20 4299	*	117,40	131,80 4301		*	135,50 0443	149,70 4300	
	1500/3	*	266,70 0446	332,20 4302					*	310,40 0448	375,90 4303	
 § 50/6c Baken 80m	links	310x960/2,5	*	62,20 0450	77,40 4449	*	68,30	83,60 4451	URP I	*	85,80 0450	101,10 4449
		380x1200/2,5	*	99,60 0454	112,40 4452					*	127,00 0456	139,80 4453
	rechts	310x960/2,5	*	62,20 0450-3	77,40	*	68,30	83,60		*	85,80 0452-3	101,10
		380x1200/2,5	*	99,60 0454-3	112,40					*	127,00 0456-3	139,80
 § 50/6c Baken 160m	links	310x960/2,5	*	64,80 0450-1	80,00	*	71,00	86,20	URP I	*	88,40 0452-1	103,60
		380x1200/2,5	*	102,80 0454-1	115,70					*	130,20 0456-1	143,10
	rechts	310x960/2,5	*	64,80 0450-4	80,00	*	71,00	86,20		*	88,40 0452-4	103,60
		380x1200/2,5	*	102,80 0454-4	115,70					*	130,20 0456-4	143,10
 § 50/6c Baken 240m	links	310x960/2,5	*	67,50 0450-2	82,50 0450-2-3	*	73,50	88,80	URP I	*	91,00 0452-2	106,30
		380x1200/2,5	*	106,00 0454-2	118,80					*	133,30 0456-2	146,50
	rechts	310x960/2,5	*	67,50 0450-5	82,50 0450-5-3	*	73,50	88,80		*	91,00 0452-5	106,30
		380x1200/2,5	*	106,00 0454-5	118,80					*	133,30 0456-5	146,50
Bahnübergang mit Schranken, 16-teilig (12 Baken 310 x 960/2,5 4 Dreiecke 700/2 mm)			*	972,20	1.181,30	*	1.088,20	1.299,60	URP I	*	1.336,10	1.547,20
Bahnübergang ohne Schranken, 16-teilig (12 Baken 310 x 960/2,5 4 Dreiecke 700/2 mm)			*	972,20	1.181,30	*	1.088,20	1.299,60		*	1.336,10	1.547,20
 § 50/6d Andreaskreuz eingleisig	Kreuz	*	103,20 0460	124,60 4454				URP I				
	Tafel 630x960/2,5	*	151,80 0460-2	176,20 0460-3	*	163,80	188,30 4458		*	180,50 0460-4	204,90 0460-5	
	Tafel 750x1150/3	*	208,20 0460-6	233,50 0460-7					*	251,90 0460-8	277,50 0460-9	
 § 50/6d Andreaskreuz mehrgleisig Anordnung waagrecht	Kreuz	*	169,90 0461	188,50				URP I				
	Tafel 960x960/3	*	193,40	225,70	*				*	226,10	258,90	

\* gemäß § 4 (5) StVZO 1998/2013 sind diese Verkehrszeichen hochrückstrahlend auszuführen!

§ 50 Gefahrenzeichen	Maße/Stärke in mm	Ausführung flach			Ausführung Formline			AS-Umrandungsprofil			
		TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3	
 § 50/6d - Andreaskreuz mehrgleisig Anordnung senkrecht	Kreuz	*	169,90 0462	188,50 4455				URP I			
	Tafel 630x1400/3	*	315,70	351,50					*	349,90	385,60
	Tafel 750x1600/3	*	433,20	487,70					*	477,50	531,70
 § 50/7 Gefährliches Gefälle	700/2	38,00 0129	48,80 0130	55,60 4304	48,70	59,30	66,20 4306	URP I	58,20 0132	69,00 0133	75,90 4305
	1000/2,5	85,00 0135	108,20 0136	122,20 4307	94,40	117,40	131,80 4309		112,60 0138	135,50 0139	149,70 4308
	1500/3	216,20 0141	266,70 0142	332,20 4310					259,80 0143	310,40 0144	375,90 4311
 § 50/7a Starke Steigung	700/2	38,00 0145	48,80 0146	55,60 4312	48,70	59,30	66,20 4314	URP I	58,20 0148	69,00 0149	75,90 4313
	1000/2,5	85,00 0151	108,20 0152	122,20 4315	94,40	117,40	131,80 4317		112,60 0154	135,50 0155	149,70 4316
	1500/3	216,20 0157	266,70 0158	332,20 4318					259,80 0159	310,40 0160	375,90 4319
 § 50/8a Fahrbahnverengung beidseitig	700/2	38,00 0161	48,80 0162	55,60 4320	48,70	59,30	66,20 4322	URP I	58,20 0164	69,00 0165	75,90 4321
	1000/2,5	85,00 0167	108,20 0168	122,20 4323	94,40	117,40	131,80 4325		112,60 0170	135,50 0171	149,70 4324
	1500/3	216,20 0173	266,70 0174	332,20 4326					259,80 0175	310,40 0176	375,90 4327
 § 50/8b Fahrbahnverengung linksseitig	700/2	38,00 0177	48,80 0178	55,60 4328	48,70	59,30	66,20 3520 4330	URP I	58,20 0180	69,00 0181	75,90 4329
	1000/2,5	85,00 0183	108,20 0184	122,20 4331	94,40	117,40	131,80 3523 4333		112,60 0186	135,50 0187	149,70 4332
	1500/3	216,20 0189	266,70 0190	332,20 4334					259,80 0191	310,40 0192	375,90 4335
 § 50/8c Fahrbahnverengung rechtsseitig	700/2	38,00 0193	48,80 0194	55,60 4336	48,70	59,30	66,20 3524 4338	URP I	58,20 0196	69,00 0197	75,90 4337
	1000/2,5	85,00 0199	108,20 0200	122,20 4339	94,40	117,40	131,80 4341		112,60 0202	135,50 0203	149,70 4340
	1500/3	216,20 0205	266,70 0206	332,20 4342					259,80 0207	310,40 0208	375,90 4343
 § 50/9 Baustelle	700/2	38,00 0209	48,80 0210	55,60 4344	48,70	59,30	66,20 4346	URP I	58,20 0212	69,00 02013	75,90 4345
	1000/2,5	85,00 0215	108,20 0216	122,20 4347	94,40	117,40	131,80 4349		112,60 0218	135,50 0219	149,70 4348
	1500/3	216,20 0221	266,70 0222	332,20 4350					259,80 0223	310,40 0224	375,90 4351
 § 50/10 Schleudergefahr	700/2	38,00 0225	48,80 0226	55,60 4352	48,70	59,30	66,20 4354	URP I	58,20 0228	69,00 0229	75,90 4353
	1000/2,5	85,00 0231	108,20 0232	122,20 4355	94,40	117,40	131,80 4357		112,60 0234	135,50 0235	149,70 4356
	1500/3	216,20 0237	266,70 0238	332,20 4358					259,80 0239	310,40 0240	375,90 4359

\* gemäß § 4 (5) StVZO 1998/2013 sind diese Verkehrszeichen hochrückstrahlend auszuführen!

§ 50 Gefahrenzeichen	Maße/Stärke in mm	Ausführung flach			Ausführung Formline			AS-Umrandungsprofil				
		TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3		
§ 50/10a Seitenwind		700/2	38,00 0241	48,80 0242	55,60 4360	48,70	59,30	66,20 4362	URP I	58,20 0244	69,00 0245	75,90 4361
		1000/2,5	85,00 0247	108,20 0248	122,20 4363	94,40	117,40	131,80 4365		112,60 0250	135,50 0251	149,70 4364
		1500/3	216,20 0253	266,70 0254	332,20 4366					259,80 0255	310,40 0256	375,90 4367
§ 50/10b Steinschlag		700/2	38,00 0257	48,80 0258	55,60 4368	48,70	59,30	66,20 4370	URP I	58,20 0260	69,00 0261	75,90 4369
		1000/2,5	85,00 0263	108,20 0264	122,20 4371	94,40	117,40	131,80 4373		112,60 0266	135,50 0267	149,70 4372
		1500/3	216,20 0269	266,70 0270	332,20 4374					259,80 0271	310,40 0272	375,90 4375
§ 50/10c Flugbetrieb		700/2	38,00 0273	48,80 0274	55,60	48,70	59,30	66,20 4378	URP I	58,20 0276	69,00 0277	75,90 4377
		1000/2,5	85,00 0279	108,20 0280	122,20 4379	94,40	117,40	131,80 4381		112,60 0282	135,50 0283	149,70 4380
		1500/3	216,20 0285	266,70 0286	332,20 4382					259,80 0287	310,40 0288	375,90 4383
§ 50/11 Fußgängerübergang		700/2	*	48,80 0290	55,60 4384	*	59,30	66,20 4386	URP I	*	69,00 0293	75,90 4385
		1000/2,5	*	108,20 0296	122,20 4387	*	117,40	131,80 4389		*	135,50 0299	149,70 4388
		1500/3	*	266,70 0302	332,20 4390					*	310,40 0304	375,90 4391
§ 50/11a Radfahrerüberfahrt		700/2	*	48,80 0306	55,60 4392	*	59,30	66,20 4394	URP I	*	69,00 0309	75,90 4393
		1000/2,5	*	108,20 0312	122,20 4395	*	117,40	131,80 4397		*	135,50 0315	149,70 4396
		1500/3	*	266,70 0318	332,20 4398					*	310,40 0320	375,90 4399
§ 50/12 Kinder		700/2	*	48,80 0322	55,60 4400	*	59,30 3552	66,20 4402	URP I	*	69,00 0325	75,90 4401
		1000/2,5	*	108,20 0328	122,20 4403	*	117,40	131,80 4405		*	135,50 0331	149,70 4404
		1500/3	*	266,70 0334	332,20 4406					*	310,40 0336	375,90 4407
§ 50/13a Achtung Tiere		700/2	38,00 0337	48,80 0338	55,60 4408	48,70	59,30	66,20 4410	URP I	58,20 0340	69,00 0341	75,90 4409
		1000/2,5	85,00 0343	108,20 0344	122,20 4411	94,40	117,40	131,80 4413		112,60 0346	135,50 0347	149,70 4412
		1500/3	216,20 0349	266,70 0350	332,20 4414					259,80 0351	310,40 0352	375,90 4415
§ 50/13b Achtung Wildwechsel		700/2	38,00 0353	48,80 0354	55,60 4416	48,70	59,30	66,20 4418	URP I	58,20 0356	69,00 0357	75,90 4417
		1000/2,5	85,00 0359	108,20 0360	122,20 4419	94,40	117,40	131,80 4421		112,60 0362	135,50 0363	149,70 4420
		1500/3	216,20 0365	266,70 0366	332,20 4422					259,80 0367	310,40 0368	375,90 4423

\* gemäß § 4 (5) StVZO 1998/2013 sind diese Verkehrszeichen hochrückstrahlend auszuführen!

§ 50 Gefahrenzeichen	Maße/Stärke in mm	Ausführung flach			Ausführung Formline			AS-Umrandungsprofil			
		TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3	TYP 1	TYP 2	TYP 3	
 § 50/14 Achtung Gegenverkehr	700/2	<b>38,00</b> 0369	<b>48,80</b> 0370	<b>55,60</b> 4424	<b>48,70</b>	<b>59,30</b>	<b>66,20</b> 4426	URP I	<b>58,20</b> 0372	<b>69,00</b> 0373	<b>75,90</b> 4425
	1000/2,5	<b>85,00</b> 0375	<b>108,20</b> 0376	<b>122,20</b> 4427	<b>94,40</b>	<b>117,40</b>	<b>131,80</b> 4429		<b>112,60</b> 0378	<b>135,50</b> 0379	<b>149,70</b> 4428
	1500/3	<b>216,20</b> 0381	<b>266,70</b> 0382	<b>332,20</b> 4430					<b>259,80</b> 0383	<b>310,40</b> 0384	<b>375,90</b> 4431
 § 50/15 Vorankündigung eines Lichtzeichens	700/2	<b>38,00</b> 0385	<b>48,80</b> 0386	<b>55,60</b> 4432	<b>48,70</b>	<b>59,30</b>	<b>66,20</b> 4434	URP I	<b>58,20</b> 0388	<b>69,00</b> 0389	<b>75,90</b> 4433
	1000/2,5	<b>85,00</b> 0391	<b>108,20</b> 0392	<b>122,20</b> 4435	<b>94,40</b>	<b>117,40</b>	<b>131,80</b> 4437		<b>112,60</b> 0394	<b>135,50</b> 0395	<b>149,70</b> 4436
	1500/3	<b>216,20</b> 0397	<b>266,70</b> 0398	<b>332,20</b> 4438					<b>259,80</b> 0399	<b>310,40</b> 0400	<b>375,90</b> 4440
 § 50/16 Andere Gefahren	700/2	<b>38,00</b> 0401	<b>48,80</b> 0402	<b>55,60</b> 4441	<b>48,70</b>	<b>59,30</b>	<b>66,20</b> 4443	URP I	<b>58,20</b> 0404	<b>69,00</b> 0405	<b>75,90</b> 4442
	1000/2,5	<b>85,00</b> 0407	<b>108,20</b> 0408	<b>122,20</b> 4444	<b>94,40</b>	<b>117,40</b>	<b>131,80</b> 4446		<b>112,60</b> 0410	<b>135,50</b> 0411	<b>149,70</b> 4445
	1500/3	<b>216,20</b> 0413	<b>266,70</b> 0414	<b>332,20</b> 4447					<b>259,80</b> 0415	<b>310,40</b> 0416	<b>375,90</b> 4448

\* gemäß § 4 (5) StVZO 1998/2013 sind diese Verkehrszeichen hochrückstrahlend auszuführen!